

From: [Ojeda, Jose](#)
To: [Brescia, Nicolas](#)
Subject: RE: Hope Iron & Metal - Sample Results Table
Date: Thursday, October 06, 2016 4:43:08 PM

I'm having the table updated to include the industrial RSL. ADEQ compared their results to both residential and industrial. I'm trying to keep everything consistent with their data.

How do you want to use the 4 background samples we collected?

I've got a bulk of the report completed. Once the tables are updated and I look at the corrected maps, I can get something written up on our findings on the analytical data.

Sent from my smartphone

José L. Ojeda
Senior Project Leader - START
Weston Solutions, Inc.

----- Original message -----

From: "Ojeda, Jose"
Date: 10/5/16 6:53 AM (GMT-06:00)
To: "Brescia, Nicolas"
Subject: RE: Hope Iron & Metal - Sample Results Table

I found a few issues with the figures yesterday. I should have corrected ones ready today.

Sent from my smartphone

José L. Ojeda
Senior Project Leader - START
Weston Solutions, Inc.

----- Original message -----

From: "Brescia, Nicolas"
Date: 10/5/16 6:42 AM (GMT-06:00)
To: "Ojeda, Jose"
Subject: RE: Hope Iron & Metal - Sample Results Table

[I will review today and let you know, thanks!](#)

From: Ojeda, Jose [mailto:Jose.Ojeda@WestonSolutions.com]
Sent: Tuesday, October 04, 2016 1:36 PM
To: Brescia, Nicolas
Subject: RE: Hope Iron & Metal - Sample Results Table

Have you had a chance to look at the figures I sent over Friday? Data validation should be completed today or tomorrow. Is there anything in particular you want change or want to see?

José L. Ojeda

Senior Project Leader – START

Weston Solutions, Inc.

From: Brescia, Nicolas [<mailto:brescia.nicolas@epa.gov>]

Sent: Friday, September 30, 2016 9:39 AM

To: Ojeda, Jose <Jose.Ojeda@WestonSolutions.com>

Subject: RE: Hope Iron & Metal - Sample Results Table

When you do the grid map, make sure you include the state sampling data so all data is shown for exceedances.

From: Ojeda, Jose [<mailto:Jose.Ojeda@WestonSolutions.com>]

Sent: Friday, September 30, 2016 9:13 AM

To: Brescia, Nicolas <brescia.nicolas@epa.gov>

Subject: RE: Hope Iron & Metal - Sample Results Table

José L. Ojeda

Senior Project Leader – START

Weston Solutions, Inc.

From: Brescia, Nicolas [<mailto:brescia.nicolas@epa.gov>]

Sent: Friday, September 30, 2016 9:00 AM

To: Ojeda, Jose <Jose.Ojeda@WestonSolutions.com>

Subject: RE: Hope Iron & Metal - Sample Results Table

Can you send me your grid map we used for sampling.

From: Ojeda, Jose [<mailto:Jose.Ojeda@WestonSolutions.com>]

Sent: Friday, September 30, 2016 8:58 AM

To: Brescia, Nicolas <brescia.nicolas@epa.gov>

Subject: RE: Hope Iron & Metal - Sample Results Table

I've got one of my guys working on that now. He's working on creating something legible for us. I should have something by Monday.

José L. Ojeda

Senior Project Leader – START

Weston Solutions, Inc.

From: Brescia, Nicolas [<mailto:brescia.nicolas@epa.gov>]

Sent: Friday, September 30, 2016 8:54 AM

To: Ojeda, Jose <Jose.Ojeda@WestonSolutions.com>

Subject: RE: Hope Iron & Metal - Sample Results Table

Jose, I need a grid map so I can reference the elevated levels at depth.

From: Ojeda, Jose [<mailto:Jose.Ojeda@WestonSolutions.com>]

Sent: Friday, September 23, 2016 7:11 AM

To: Brescia, Nicolas <brescia.nicolas@epa.gov>

Subject: Hope Iron & Metal - Sample Results Table

Nic,

Take a look at the attached table comparing results to RSLs. Let me know if there's anything else in

particular you want to see on the table. I'll get a grid map highlighting the grids with elevated results.



José L. Ojeda

Senior Project Leader – START

Weston Solutions, Inc.

3900 Dallas Pkwy, Suite 175

Plano, TX 75093-7805

Direct: (469) 666-5506 • Cell: (619) 417-3298 • Office: (469) 666-5500 • Fax: (469) 666-5540

Jose.Ojeda@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.